
機能付

全電力管内向け

## 陽光発電システム(1次送b×2回路)

発電システム対応住宅用分電盤 扉付 扉なし

> 露出·半埋込形兼用 プラスチック製



	3P3E										GBU-	-53H	EC 3	P3E	30A
分岐回路数 +予備回路数	<b>→</b> ±∧	分岐回路		パールテクト(扉付)				パールテ	クト(扉なし)	₽ 9	形寸	ţ(mm)		80040	外形
	主幹 (A)	2P1E	2P2E	納期 区分	ご注文品番	標準価格 (円)	納期区分	ご注文品番	標準価格(円)	タテ ヨコ	アナ 扉付	アンプログラ からない かんし	盤定格 (A)	-+:±	
<b>6</b> +2	40	4	2	3	MAG34062T22L	83,500	3	YAG34062T22L	82,400		517	118	98	60	E- 155 4
	50			3	MAG35062T22L	83,500	3	YAG35062T22L	82,400	320					
	60			3	MAG36062T22L	83,500	3	YAG36062T22L	82,400						
<b>10</b> +2	40			3	MAG34102T22L	93,100	3	YAG34102T22L	91,800				98	60	E- 155 5
	50	8	2	3	MAG35102T22L	93,100	3	YAG35102T22L	91,800	320	551	118			
	60			3	MAG36102T22L	93,100	3	YAG36102T22L	91,800						
<b>14</b> +2	40			3	MAG34142T22L	102,700	3	YAG34142T22L	98,200		619	118	98	60	E- 155 6
	50	10	4	3	MAG35142T22L	102,700	3	YAG35142T22L	98,200	320					
	60			3	MAG36142T22L	102,700	3	YAG36142T22L	98,200						
	75			3	MAG37142T22L	109,800	3	YAG37142T22L	104,900						
<b>18</b> +2	50	14	4	3	MAG35182T22L	112,800	3	YAG35182T22L	107,500		619	118	98	60	E- 155 6
	60			3	MAG36182T22L	112,800	3	YAG36182T22L	107,500	320				00	
	75			3	MAG37182T22L	120,000	3	YAG37182T22L	114,500					100	
	100			3	MAG310182T22L	132,500	3	YAG310182T22L	127,200						
<b>22</b> +2	50			3	MAG35222T22L	122,500	3	YAG35222T22L	115,600	320	687	118	98	60	E- 156 7
	60	16	6	3	MAG36222T22L	122,500	3	YAG36222T22L	115,600						
	75	10		3	MAG37222T22L	129,500	3	YAG37222T22L	124,800						
	100			3	MAG310222T22L	142,900	3	YAG310222T22L	137,500						
<b>26</b> +2	60	20		3	MAG36262T22L	130,800	3	YAG36262T22L	125,200	320				60	E-
	75		6	3	MAG37262T22L	138,000	3	YAG37262T22L	134,500		687	118	98		156
	100			3	MAG310262T22L	151,200	3	YAG310262T22L	147,100					100	
<b>30</b> +2	60			3	MAG36302T22L	138,800	_	_	_			118	_	60	E-
	75	24	6	3	MAG37302T22L	146,200	_	-	_	320	789				156
	100			3	MAG310302T22L	159,100	_	-	_					100	
<b>34</b> +2	75	28	6	3	MAG37342T22L	154,200	_	-	_	320	789	118	_	100	E-
	100	20		3	MAG310342T22L	167,600	_	_	_						8

<sup>■</sup>上記以外の商品は、別途お問い合わせください。

■太陽光側漏電遮断器(2回路)は、定格電流の合計が60Aを超える組み合わせは、対応不可です。